

Blanco Canopy Fan

- Grey canopy fan with 2no. 130W motors
- To suit 600mm wide canopy
- 3 speed settings with thermal cut out
- 100mm-125mm diameter outlet
- Downlights and metal grease filter
- Output 220-290m³/ hour
- Unit size 525mm x 286mm x 149mm. Cut out required 458mm x 260mm
- Recirculating carbon filters available (requires 2no.)



Code	Description
BFC	Twin motor canopy fan grey
BCF	Recirculating carbon filter

Blanco Door Fan

- Grey door fan with 130W motor
- To suit 440mm high x 595mm wide door
- 3 speed settings with automatic switch mode and thermal cut out
- 100mm-125mm diameter outlet
- Downlights and metal grease filter
- Output 135-220m³/ hour
- Unit size 600mm x 440mm x 275mm
- Recirculating carbon filters available (requires 1no.)



Code	Description
BFD	Single motor door fan grey
BCF	Recirculating carbon filter

Blanco 890 Stainless Steel Hood

- Stainless steel chimney hood available 600mm and 900mm wide
- Powerful 170W motor with 3 speed selection and thermal cut out
- Height adjustable chimney from 580mm - 940mm
- Downlights and metal grease filters
- Output 280-400m³/ hour
- Recirculating kit with carbon filters available



Code	Description
BFH89060	600mm Blanco 890 stainless steel chimney hood
BFH89090	900mm Blanco 890 stainless steel chimney hood
BFH890R	Recirculating kit for Blanco 890 hood



Blanco 1029 Stainless Steel & Glass Hood

- Stainless steel & glass chimney hood available 600mm and 900mm wide
- Powerful 140W motor with 3 speed selection and thermal cut out
- Height adjustable chimney from 670mm - 1030mm
- 2no. 20W halogen downlights
- Metal grease filters
- Output 270-380m³/ hour
- Recirculating kit with carbon filters available



Code	Description
BFH102960	600mm Blanco 1029 stainless steel & glass chimney hood
BFH102990	900mm Blanco 1029 stainless steel & glass chimney hood
BFH1029R	Recirculating kit for Blanco1029 hood

Blanco 1021-30 Slim Profile Stainless Steel Hood

- Stainless steel chimney hood available 600mm and 900mm wide
- Powerful motor with 3 speed selection and thermal cut out
- Height adjustable chimney
- 2no. 20W halogen downlights
- Metal grease filters
- Output up to 490m³ / hour
- Recirculating kit with carbon filters available



Code	Description
BFH1021-3060	600mm Blanco 1021-30 stainless steel chimney hood
BFH1021-3090	900mm Blanco 1021-30 stainless steel chimney hood
BFH1021R	Recirculating kit for Blanco1021-30 hood

To view the full range of Blanco cooker hoods, please ask for brochures.



1080 Wall Hood 800mm



1030 Island Hood 900mm


Blanco by Gutmann cooker hoods are for discerning individuals who demand the very best air extraction solution.

Gutmann GmbH is the leading manufacturer of handmade extractor hoods in Europe including the unique Futura illustrated below. If you have a difficult air extraction situation or if you have a vision for something spectacular, Gutmann can solve your problem and turn your vision into reality.

Please ask us for more details.

BLANCO
GERMANY

GUTMANN
a partner for life



Blanco Futura by Gutmann



Blanco Solo by Gutmann



Blanco Adelante by Gutmann

We have two ducting systems available. System 100 and System 125 Supertube.
Ducting components are white unless otherwise stated.



■ System 100


- Suitable for applications requiring lower air extraction rates
- Ideally suited for short, simple runs
- Dimensions are 110mm x 54mm and 100mm diameter

■ System 125 Supertube


- Suitable for applications requiring high air extraction rates
- Ideally suited for long runs
- Dimensions are 204mm x 60mm and 125mm diameter

■ Ducting Components

System	Code	Description
100	J015	Rigid channel 110mm x 54mm x 1500mm
125	J515	Rigid channel 204mm x 60mm x 1500mm



System	Code	Description
100	J333	Flexible channel 110mm x 54mm x 3000mm
125	J533	Flexible channel 204mm x 60mm x 3000mm



System	Code	Description
100	J122-4	Channel clip 110mm x 54mm
125	J122-5	Channel clip 204mm x 60mm




System	Code	Description
100	J020	110mm x 54mm channel connector
125	J520	204mm x 60mm channel connector




System	Code	Description
100	J050	90° horizontal bend 110mm x 54mm
125	J550	90° horizontal bend 204mm x 60mm



System	Code	Description
100	J060	90° vertical bend 110mm x 54mm
125	J560	90° vertical bend 204mm x 60mm




System	Code	Description
100	J080	'T' section 110mm x 54mm
125	J582	'T' section 204mm x 60mm




System	Code	Description
100	J070	100mm round to 110mm x 54mm adapter
125	J570	125mm round to 204mm x 60mm adapter



System	Code	Description
100	J030	90° adapter. 100mm round to 110mm x 54mm
125	J530	90° adapter. 125mm round to 204mm x 60mm



System	Code	Description
100	J040	90° adapter with spigot. 100mm round to 110mm x 54mm
125	J540	90° adapter with spigot. 125mm round to 204mm x 60mm



System	Code	Description
100	J1100-4	Rigid pipe 100mm diameter x 1000mm
125	J1100-5	Rigid pipe 125mm diameter x 1000mm



System	Code	Description
100	J363	Flexible channel 100mm diameter x 3000mm
125	J563	Flexible channel 125mm diameter x 3000mm



System	Code	Description
100	J493	100mm round pipe connector
125	J593	125mm round pipe connector



System	Code	Description
100	J490	90° bend 100mm diameter
125	J590	90° bend 125mm diameter



System	Code	Description
100	J492	'T' section 100mm diameter
125	J592	'T' section 125mm diameter




Code	Description
J119	100mm round to 125mm round adapter
J118	125mm round to 150mm round adapter




Vents


System	Code	Description
100	JF4904W	Louvered vent with flyscreen. 100mm diameter fitting. White
100	JF4904B	Louvered vent with flyscreen. 100mm diameter fitting. Brown
100	JF4904BK	Louvered vent with flyscreen. 100mm diameter fitting. Black
125	JF5904W	Louvered vent with flyscreen. 125mm diameter fitting. White
125	JF5904B	Louvered vent with flyscreen. 125mm diameter fitting. Brown




System	Code	Description
100	JF4905W	Louvered vent with flyscreen. 110mm x 54mm fitting. White
100	JF4905B	Louvered vent with flyscreen. 110mm x 54mm fitting. Brown




System	Code	Description
125	J501W	Louvered airbrick vent. 204mm x 60mm fitting. White
125	J501B	Louvered airbrick vent. 204mm x 60mm fitting. Brown
125	J115-5W	Airbrick wall plate to suit J501W vent. White
125	J115-5B	Airbrick wall plate to suit J501B vent. Brown



Code	Description
J146W	Louvered plinth vent. 465mm x 75mm. White
J146MB	Louvered plinth vent. 465mm x 75mm. Medium Brown
J146SD	Louvered plinth vent. 465mm x 75mm. Sand
J146C	Louvered plinth vent. 465mm x 75mm. Charcoal



Code	Description
J148A	Plinth / worktop vent. 478mm x 79mm. Aluminium



Ducting Seals

System	Code	Description
100	JCLIP4	90mm - 110mm jubilee clip
125	JCLIP5	120mm - 140mm jubilee clip



Code	Description
CTPG50	Gaffa / ducting tape 50mm x 50m

